

CARPETAMERICARECOVERYEFFORTSM

CARE

Recycled Nylon 6/6 from Carpet
Property Description Sheets



CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DESCRIPTION SHEET
DENSIFIED GRADE II-A

Type of nylon:	State how determined (Product name if available)
Material form: (indicate form)	Condux California pellet Other (describe)
Packaging: (indicate the shipping packaging)	Boxes Super sacks Other (describe)
Color (indicate color)	Natural Mixed color Gray Black Other (describe)
Bulk density (per ASTM D1895):	lbs/ft ³
Density (per ASTM D792)	~ 1.2 gm/cc
Ash Content (per ASTM D5630)	<2 %
Contaminates: (indicate any known contaminate other than household dirt)	
Has the material been processed in any way?	(If so describe)
Additional material details: (indicate other testing or processing of the material)	

These data are presented for the purpose of describing a "Grade II" product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number.

Because of the nature of this description and product variances in properties occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DESCRIPTION SHEET
DENSIFIED GRADE II-B

Type of nylon:	State how determined (Product name if available)
Material form: (indicate form)	Condux California pellet Other (describe)
Packaging: (indicate the shipping packaging)	Boxes Super sacks Other (describe)
Color (indicate color)	Natural Mixed color Gray Black Other (describe)
Bulk density (per ASTM D1895):	lbs/ft ³
Density (per ASTM D792)	~ 1.2 gm/cc
Ash Content (per ASTM D5630)	>4, <8 %
Contaminates: (indicate any known contaminate other than household dirt)	
Has the material been processed in any way?	(If so describe)
Additional material details: (indicate other testing or processing of the material)	

These data are presented for the purpose of describing a "Grade II" product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number.

Because of the nature of this description and product variances in properties occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DESCRIPTION SHEET
DENSIFIED GRADE II-C

Type of nylon:	State how determined (Product name if available)
Material form: (indicate form)	Condux California pellet Other (describe)
Packaging: (indicate the shipping packaging)	Boxes Super sacks Other (describe)
Color (indicate color)	Natural Mixed color Gray Black Other (describe)
Bulk density (per ASTM D1895):	lbs/ft ³
Density (per ASTM D792)	~ 1.2 gm/cc
Ash Content (per ASTM D5630)	>8, <14 %
Contaminates: (indicate any known contaminate other than household dirt)	
Has the material been processed in any way?	(If so describe)
Additional material details: (indicate other testing or processing of the material)	

These data are presented for the purpose of describing a "Grade II" product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number.

Because of the nature of this description and product variances in properties occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DESCRIPTION SHEET
DENSIFIED GRADE II-D

Type of nylon:	State how determined (Product name if available)
Material form: (indicate form)	Condux California pellet Other (describe)
Packaging: (indicate the shipping packaging)	Boxes Super sacks Other (describe)
Color (indicate color)	Natural Mixed color Gray Black Other (describe)
Bulk density (per ASTM D1895):	lbs/ft ³
Density (per ASTM D792)	~ 1.2 gm/cc
Ash Content (per ASTM D5630)	>14, <20 %
Contaminates: (indicate any known contaminate other than household dirt)	
Has the material been processed in any way?	(If so describe)
Additional material details: (indicate other testing or processing of the material)	

These data are presented for the purpose of describing a "Grade II" product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number.

Because of the nature of this description and product variances in properties occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DISCRIPTION SHEET
FOR FACE FIBER GRADE III-A

Type of nylon: State how determined

Material form: (indicate form) Fiber
Other (describe)

Packaging: (indicate the shipping packaging) Bales
Boxes
Super sacks
Other (describe)

Color (indicate color) Natural
Mixed color
Gray
Black
Other (describe)

Ash Content (ASTM 5630) <2%

Contaminates: (indicate any known contaminate other than household dirt)

Has the material been processed in any way? (If so describe)

Additional material details: (indicate other testing or processing of the material)

These data are presented for the purpose of describing the product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number. Because of the nature of this product variances in properties can and do occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DISCRIPTION SHEET
FOR FACE FIBER GRADE III-B

Type of nylon:	ne	State how determined
Material form: (indicate form)		Fiber Other (describe)
Packaging: (indicate the shipping packaging)		Bales Boxes Super sacks Other (describe)
Color (indicate color)		Natural Mixed color Gray Black Other (describe)
Ash Content (ASTM 5630)		>4, <8%
Contaminates: (indicate any known contaminate other than household dirt)		
Has the material been processed in any way?		(If so describe)
Additional material details: (indicate other testing or processing of the material)		

These data are presented for the purpose of describing the product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number. Because of the nature of this product variances in properties can and do occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DISCRIPTION SHEET
FOR FACE FIBER GRADE III-C

Type of nylon: State how determined

Material form: (indicate form) Fiber
Other (describe)

Packaging: (indicate the shipping packaging) Bales
Boxes
Super sacks
Other (describe)

Color (indicate color) Natural
Mixed color
Gray
Black
Other (describe)

Ash Content (ASTM 5630) >8, <14%

Contaminates: (indicate any known contaminate other than household dirt)

Has the material been processed in any way? (If so describe)

Additional material details: (indicate other testing or processing of the material)

These data are presented for the purpose of describing the product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number. Because of the nature of this product variances in properties can and do occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009

CARE POST CONSUMER
RECYCLED NYLON 6/6 FROM CARPET
PROPERTY DISCRIPTION SHEET
FOR FACE FIBER GRADE III-D

Type of nylon: State how determined

Material form: (indicate form) Fiber
Other (describe)

Packaging: (indicate the shipping packaging) Bales
Boxes
Super sacks
Other (describe)

Color (indicate color) Natural
Mixed color
Gray
Black
Other (describe)

Ash Content (ASTM 5630) >14, <20%

Contaminates: (indicate any known contaminate other than household dirt)

Has the material been processed in any way? (If so describe)

Additional material details: (indicate other testing or processing of the material)

These data are presented for the purpose of describing the product being sold and should not be construed as specifications. Actual data for engineering use of this material should be drawn from samples taken at random through out each lot number. Because of the nature of this product variances in properties can and do occur.

Revision 3, dated January 22, 2009, Supersedes Original dated January 15, 2009